



ASA

Arghavan Adineh co.

Tools Catalog



Tools list

Shears, Loppers, Pruners

Fruit and Flower Shears (294350)	3
Fruit and Flower Shears (295350)	3
Bypass Pruner (285140)	4
Bypass Pruner (230140)	4
Bypass Pruner (231150)	5
Fruit and Flower Bypass Shears (293150)	5
Bypass Pruner (285143)	6
Hedge Shear (383460)	6
Hedge Shear (369400)	7
Hedge Shear (369470)	7
Telescopic Heavy Duty Bypass Lopper (735410)	8
Telescopic Heavy Duty Bypass Lopper (796410)	8
Bypass Lopper (476600)	9
Bypass Pruner (476470)	9
Mini Bypass Lopper (482200)	10
Gear Heavy Duty Bypass Lopper (497630)	10

Sprayer

ASA Pressure Sprayer 2L	11
ASA Pressure Sprayer 20L	11
TF-05 Sprayer 5L	12
TF-10 Sprayer 10L	12
25A-168-TF Garden Machine Sprayer	13
TF 120 Garden Machine Sprayer	13

BS216D Battery Sprayer 20L	14
BS203D Battery Sprayer 20L	14
BS807D Battery Sprayer 18L	15
TF-768 Backpack Sprayer 25L	15

Brush Cutter

TM-MT430 Multifunctional Brush Cutter	16
TM-BG530 Backpack Brush Cutter	16
TM-CG430 Shoulder Brush Cutter	17
TM-CG520 Shoulder Brush Cutter	17

Chainsaw

TM-CS2500	18
TM-CS4513	18
TM-CS5213	19
TM-CS5813	19

Lawn Mower

TM-L500ZP1	20
TM-L500TP1	20
TM-L560TP1	21
TM-L560ZP1	21



Fruit and Flower Shears 7 - 1/2"

Model	Product Length	Cut Diameter	Weight	Number in Carton
294350	191 mm	8 mm	0.11 kg	16

Descriptions

- Used for fruit harvest (applicable in grapes and citrus harvest as well as Bonsai Pruning).
- Steel blade
- Steel chromium- coated handles with vinyl cover
- Ring lock made out of leather
- Steel wire spring



Fruit and Flower Shears 7 - 1/2"

Model	Product Length	Cut Diameter	Weight	Number in Carton
295350	191 mm	8 mm	0.11 kg	16

Descriptions

- Used for fruit harvest (applicable in grapes and citrus harvest as well as Bonsai Pruning).
- Steel blade
- Steel chromium- coated handles with vinyl cover.
- Ring lock made out of leather
- Steel wire spring
- Curved blades



— Bypass Pruner 8"

Model	Product Length	Cut Diameter	Weight	Number in Carton
285140	204 mm	12 mm	0.18 kg	16

Descriptions

- Used for pruning fresh branches (bypass)
- Carbon-filled blade with Teflon Cover
- Forged aluminum handles with PVC Cover
- Finger lock made out of steel
- Steel leaf spring



— Bypass Pruner 8"

Model	Product Length	Cut Diameter	Weight	Number in Carton
230140	204 mm	12 mm	0.26 kg	14

Descriptions

- Used for pruning fresh branches (bypass)
- Carbon-filled blade with Teflon Cover
- Forged aluminum handles with PVC Cover
- Finger lock made out of steel
- Steel leaf spring



Bypass Pruner 8 - 1/2"

Model	Product Length	Cut Diameter	Weight	Number in Carton
231150	216 mm	12 mm	0.23 kg	16

Descriptions

- Used for pruning fresh branches (bypass)
- Steel carbon-filled blade with Teflon Cover
- Forged aluminum handles with PVC Cover
- Finger lock made out of steel
- Steel leaf spring



Fruit and Flower Bypass Shears 7"

Model	Product Length	Cut Diameter	Weight	Number in Carton
293150	178 mm	12 mm	0.11 kg	16

Descriptions

- Used for harvesting fruits and pruning fresh branches (bypass)
- Steel carbon-filled blade
- Steel chromium-coated handles with vinyl cover
- Ring lock made out of leather
- Steel wire spring



— Bypass Pruner 8"

Model	Product Length	Cut Diameter	Weight	Number in Carton
285143	204 mm	12 mm	0.18 kg	16

Descriptions

- Used for pruning fresh branches of trees (bypass)
- Carbon-filled blade
- Forged aluminum handles with PVC cover
- Finger lock made out of steel
- Steel leaf spring



— Hedge Shear 21"

Model	Product Length	Cut Diameter	Weight	Number in Carton
383460	534 mm	6 mm	0.9 kg	6

Descriptions

- Wavy blade made out of forged steel.
- Round steel handle with PVC cover at the ending parts
- Equipped with shock absorber
- Ergonomic handles



Hedge Shear 20"

Model	Product Length	Cut Diameter	Weight	Number in Carton
369400	508 mm	6 mm	0.7 kg	8

Descriptions

- Straight blade made out of forged steel
- Round steel handles with PVC cover at the ending parts
- Totally ergonomic



Hedge Shear 20"

Model	Product Length	Cut Diameter	Weight	Number in Carton
369470	508 mm	6 mm	0.7 kg	8

Descriptions

- Straight blade made out of forged steel
- Round steel handles with PVC cover at the ending parts
- Totally ergonomic



— Telescopic Heavy Duty Bypass Lopper 24 - 1/2" ~ 38"

Model	Product Length	Cut Diameter	Weight	Number in Carton
735410	623 ~ 966 mm	28 mm	1.34 kg	4

Descriptions

- Used for pruning fresh branches (bypass)
- Steel blade with Teflon Cover
- Round steel handles with T.P.R cover at the ending parts
- Equipped with shock absorber



— Telescopic Heavy Duty Bypass Lopper 25 - 1/4" ~ 38 - 1/4"

Model	Product Length	Cut Diameter	Weight	Number in Carton
796410	642 ~ 972 mm	30 mm	1.6 kg	4

Descriptions

- Used for pruning fresh branches (bypass)
- Steel blade with Teflon Cover.
- Round steel handles with T.P.R cover at the ending parts



Bypass Lopper 27 - 1/2"

Model	Product Length	Cut Diameter	Weight	Number in Carton
476600	699 mm	28 mm	0.95 kg	6

Descriptions

- Used for pruning fresh branches (bypass)
- Steel blade with teflon cover
- Oval steel handles with T.P.R cover at the ending parts

**Bypass Pruner 27"**

Model	Product Length	Cut Diameter	Weight	Number in Carton
476470	686 mm	28 mm	0.86 kg	5

Descriptions

- Used for pruning fresh branches (bypass)
- Steel blade
- Round steel handles with T.P.R cover at the ending parts



— Mini Bypass Lopper 17"

Model	Product Length	Cut Diameter	Weight	Number in Carton
482200	432 mm	25 mm	0.63 kg	6

Descriptions

- Used for pruning fresh branches (bypass)
- Steel blade with Teflon cover
- Round steel handles with T.P.R cover at the ending parts



— Gear Heavy Duty Bypass Lopper 31"

Model	Product Length	Cut Diameter	Weight	Number in Carton
497630	788 mm	30 mm	1.62 kg	4

Descriptions

- Unique gear mechanism with high cutting power
- Used for pruning fresh branches (bypass)
- Steel blades with Teflon cover.
- Oval steel handles with T.P.R cover at the ending parts



— ASA Pressure Sprayer 2L

Capacity

2 Liters



— ASA Pressure Sprayer 20L

Capacity

20 Liters

Descriptions

Polyethylene tank

Maximum pressure 1 - 4.5 bar

Washer kit



TF - 05

Capacity

5 Liters

Descriptions

Polyethylene tank

Maximum pressure 1 - 4.5 bar

Washer kit

Wide mouth conical lead for filling and emptying the tank easily



TF - 10

Capacity

10 Liters

Descriptions

Polyethylene tank

Maximum pressure 1 - 4.5 bar

Washer kit

Wide mouth conical lead for filling and emptying the tank easily



— 25A-168 - TF Garden Machine Sprayer

Engine Model	Engine Type	Engine Displacement	Engine Power
F168	gasoline single-cylinder air cooling 4 stroke	168 CC	5.5 HP

Pump Specifications

- Pump capacity: 14 - 22 L/min
- Pump with double channel, Hydraulic mixer outlet
- Weight: 25 kg
- With lance and nozzle, 30 meters high pressure hose



— TF 120 Garden Machine Sprayer

Engine Model	Engine Type	Engine Displacement	Engine Power
F168	gasoline single-cylinder air cooling 4 stroke	168 CC	5.5 HP

Pump Specifications

- Pump capacity: 12 - 22 L/min
- Pump with double channel, with biometer, relief valve and accumulator
- Weight: 65 kg
- With lance and nozzle, 50 meters high pressure hose
- Hydraulic mixer system
- Steel chassis



BS216D Battery Sprayer

Tank Capacity	Type of Tank	Battery	Pressure
20 L	Polypropylene	12 V - 8ar	2.5 - 4.5 bar

Description

Equipped with telescopic and metal lance



BS203D Battery Sprayer

Tank Capacity	Type of Tank	Battery	Pressure
20 L	Polypropylene	12 V - 8ar	2.5- 4.5 bar

Description

Equipped with telescopic and metal lance



BS807D Battery Sprayer

Tank Capacity	Type of Tank	Battery	Pressure
18 L	Polypropylene	12 V - 8ar	2.5 - 4.5 bar

Description

Equipped with telescopic and metal lance



TF - 768 Backpack Sprayer

Tank Capacity	Engine	Engine Type	Engine Displacement	Engine Power	Fuel Tank Capacity
25 L	TU26	Single-cylinder, two strock, air cooling	26 CC	1 HP 6500 RPM	0.6 L



TM-MT430 Multifunctional Brush Cutter

Engine Type	Engine Model	Engine Displacement	Engine Power	Carburetor Type	Fuel Tank Capacity
gasoline single-cylinder (air cooling)	1E40F - 5	42.7 CC	2 HP	Diaphragm	1200 ml

Equipments

- Line trimmer
- 3 teeth blade
- Portable saw
- Portable hedge trimmer



TM-BG530 Backpack Brush Cutter

Engine Type	Engine Model	Engine Displacement	Engine Power	Carburetor Type	Fuel Tank Capacity
gasoline single-cylinder (air cooling)	1E44F - 5	51.7 CC	2.4 HP	Diaphragm	1200 ml

Equipments

- Line trimmer
- 3 teeth blade



TM-CG430 Shoulder Brush Cutter

Engine Type	Engine Model	Engine Displacement	Engine Power	Carburetor Type	Fuel Tank Capacity	Shaft Diameter
gasoline single-cylinder (air cooling)	1E40F - 5	42.7 CC	2 HP	Diaphragm	1200 ml	26 mm

Equipments

- | Line trimmer
- | 3 teeth blade



TM-CG520 Shoulder Brush Cutter

Engine Type	Engine Model	Engine Displacement	Engine Power	Carburetor Type	Fuel Tank Capacity	Shaft Diameter
gasoline single-cylinder (air cooling)	1E44F - 5	51.7 CC	2.4 HP	Diaphragm	1200 ml	28 mm

Equipments

- | Line trimmer
- | 3 teeth blade



— TM-CS2500 Chainsaw

Engine Type	Cylinder Displacement	Cylinder Diameter	Engine Power	Blade Length	Pitch	Fuel Tank Capacity	Oil Tank Capacity
gasoline single-cylinder (air cooling)	25.4 CC	34 mm	7500 RPM/ 0.9 kw	25 cm	3.8	180 ml	120 ml



— TM-CS4513 Chainsaw

Engine Type	Cylinder Displacement	Cylinder Diameter	Engine Power	Blade Length	Pitch	Fuel Tank Capacity	Oil Tank Capacity
gasoline single-cylinder (air cooling)	45 CC	43 mm	7500 RPM/ 1.6 kw	45 cm	0.325	550 ml	260 ml



TM-CS5213 Chainsaw

Engine Type	Cylinder Displacement	Cylinder Diameter	Engine Power	Blade Length	Pitch	Fuel Tank Capacity	Oil Tank Capacity
gasoline single-cylinder (air cooling)	52 CC	44 mm	7500 RPM/ 2 kw	50 cm	0.325	550 ml	260 ml



TM-CS5813 Chainsaw

Engine Type	Cylinder Displacement	Cylinder Diameter	Engine Power	Blade Length	Pitch	Fuel Tank Capacity	Oil Tank Capacity
gasoline single-cylinder (air cooling)	58 CC	45.2 mm	7500 RPM/ 2.4 kw	45 cm	0.325	550 ml	260 ml



— TM-L500ZP1 Lawn Mower

Engine Displacement	Engine Brand	Body Type	Cutting Width	System of Movement	Basket Capacity	Cutting Height	Back and Forth Wheel Diameter
139 CC	LONCIN	Steel	50 cm	Gearbox	70 L	25 mm - 75 mm 7 adjustment	16-20 cm



— TM-L500TP1 Lawn Mower

Engine Displacement	Engine Brand	Body Type	Cutting Width	System of Movement	Basket Capacity	Cutting Height	Back and Forth Wheel Diameter
139 CC	LONCIN	Steel	50 cm	Manual	70 L	25 mm - 75 mm 7 adjustment	20-25 cm



TM-L560TP1 Lawn Mower

Engine Displacement	Engine Brand	Body Type	Cutting Width	System of Movement	Basket Capacity	Cutting Height	Back and Forth Wheel Diameter
139 CC	LONCIN	Steel	50 cm	Manual	70 L	25 mm - 75 mm 7 adjustment	20-25 cm



TM-L560ZP1 Lawn Mower

Engine Displacement	Engine Brand	Body Type	Cutting Width	System of Movement	Basket Capacity	Cutting Height	Back and Forth Wheel Diameter
139 CC	LONCIN	Steel	50 cm	Gearbox	70 L	25 mm - 75 mm 7 adjustment	16-20 cm





arghavan



Arghavan Adineh Co.



Website



Instagram

📍 No. 77, Adineh Group Building, North Sheikh Bahaei St,
Sheikh Bahaei Square, Molla Sadra St,
Tehran, Iran

☎ +98 21 8350 1236

📷 arghavan.tools.asa

🌐 armansabz.adinegroup.com